

# INDEX MAPS.

## T. 12N, R. 11E. 2<sup>nd</sup> Mer.

	143		143		143		142		142		141	
145	6	168	5	162	4	159	3	155	2	152	1	141
	<del>167</del>		<del>167</del>		<del>162</del>		<del>158</del>		<del>154</del>		<del>152</del>	<del>149</del>
145	7	167	8	162	9	158	10	154	11	151	12	140
	<del>166</del>		<del>166</del>		<del>161</del>		<del>158</del>		<del>154</del>		<del>151</del>	<del>148</del>
145	18	166	17	161	16	157	15	153	14	151	13	140
	<del>165</del>		<del>165</del>		<del>161</del>		<del>157</del>		<del>153</del>		<del>151</del>	<del>148</del>
									150			
144	19	165	20	160	21	156	22	152	23		24	140
	<del>164</del>		<del>164</del>		<del>160</del>		<del>156</del>		<del>150</del>	<del>147</del>		<del>148</del>
144	30	164	29	160	28	156	27	150	26	147	25	139
	<del>163</del>		<del>163</del>		<del>159</del>		<del>155</del>		<del>149</del>	<del>146</del>		<del>146</del>
144	31	163	32	159	33	155	34	149	35	146	36	139
	<del>138</del>		<del>138</del>		<del>138</del>		<del>137</del>		<del>137</del>		<del>137</del>	

## T. 13N, R. 11E. 2<sup>nd</sup> Mer.

	175		175		175		174		174		174	
178	6	199	5	194	4	190	3	186	2	182	1	173
	<del>199</del>		<del>198</del>		<del>193</del>		<del>190</del>		<del>186</del>		<del>182</del>	
177	7	198	8	193	9	189	10	185	11	185	12	173
	<del>198</del>		<del>197</del>		<del>193</del>		<del>189</del>		<del>185</del>		<del>181</del>	
177	18	197	17	192	16	189	15	185	14	181	13	172
	<del>197</del>		<del>196</del>		<del>192</del>		<del>188</del>		<del>184</del>		<del>180</del>	
177	19	196	20	192	21	188	22	184	23	180	24	172
	<del>196</del>		<del>195</del>		<del>191</del>		<del>188</del>		<del>184</del>		<del>180</del>	<del>178</del>
176	30	195	29	191	28	187	27	183	26	179	25	172
	<del>195</del>		<del>194</del>		<del>191</del>		<del>187</del>		<del>183</del>		<del>179</del>	<del>178</del>
176	31	194	32	190	33	186	34	182	35	179	36	171
	<del>171</del>		<del>170</del>		<del>170</del>		<del>170</del>		<del>169</del>		<del>169</del>	

The figures on the lines refer to the page.

169

Township N. 13 North, Range N. 11 East 2. Mer. Ind. a.  
ch. lkr.

## South Boundary

West On S. boundary of Sec. 36 var. 5.45'

2.50 a Spring Course S. W.

7.00 a Do " South

17.00 a Brook 3 lkr. wide Course S.

19.00 a Sugar 14 in. diam.

19.50 a Brook 3 lkr. wide Course S.

38.00 Intersected boundary line, set post, from which

a Beech 9 in. diam. bear N 77 E 11 lkr. dist. 8

a Do. 24 " " " N 43 W 33 " "

Broken with deep cuts, Beech, Sugar &c.

Var. 6.00 E

October 10<sup>th</sup> 1810 Alex. Holmes, N. S.

40.00 Set gr. Sec. post, from which

a Beech 10 in. diam. bear S 50 W 14 lkr. dist. 8

a Sugar 9 " " " N 26 W 14 " "

45.00 a Creek 50 lkr. wide Course S.

71.40 a Branch 5 " " " N. E.

72.00 a W. Oak 36 in. diam.

72.50 Same branch Course S. E.

74.45 Same branch " N. E.

80.00 Set post Cor. to Sec. 35 & 36, from which

a Sugar 7 in. diam. bear S 41 E 16 lkr. dist. 8

a Do. 12 " " " N 18 E 14 " "

Broken land, timber Beech, Poplar, Sugar  
&c. undug. Spice, Soil good

---

West On S. boundary of Sec. 35

3.90 a Sugar 20 in. diam.

27.50 a Spring branch Course N. E.

35.50 a Branch 4 lkr. wide Course N. W.

40.00 Set gr. Sec. post, from which

a Beech 3 in. diam. bear S 43 W 24 lkr. dist. 8

a Sugar 14 " " " N 49 E 13 " "

47.80 a Branch 4 lkr. wide Course N. E.

53.40 a Do. 4 " " " N. E.

61.50 a Do. 3 " " " N. E.

T13 N. R11 E. 2.<sup>nd</sup> Mer. Indianach. 2<sup>nd</sup> 6<sup>th</sup>

66.00 at Beech 21 in. diam.

80.00 Set post Cor. to Sec. 34 & 35, from which  
 a Sugar 36 in. diam. bear S 71° 22' W 22 lks. dist. &  
 an Ash 10 " " " N 86° E 21 " "  
 Land timber &c. same as on the last mile

West On S. boundary of Sec. 34

15.50 at Beech 15 in. diam.

40.00 Set q<sup>r</sup>. Sec. post, from which  
 at Beech 9 in. diam. bear S 67° E 11 lks. dist. &  
 at Buckeye 6 " " " S 89° W 18 " "

64.50 an Elm 9 " "

72.46 at Branch 8 lks. wide Course S. E.

80.00 Set post Cor. to Sec. 33 & 34, from which  
 an Elm 9 in. diam. bear S 56° E 20 lks. dist. &  
 a No. 10 " " " N 20° E 10 " "

First 1/2 mile broken 2<sup>nd</sup> half rolling 1<sup>st</sup> rate land  
 timber Beech, Cherry, Walnut, Elm &c. under 7<sup>th</sup> Spruce

West On S. boundary of Sec. 33

13.80 a Sugar 10 in. diam.

40.00 Set q<sup>r</sup>. Sec. post, from which  
 an Elm 27 in. diam. bear South 18 lks. dist. &  
 a No. 20 " " " N 15° W 19 " "

53.65 at Beech 18 " "

80.00 Set post Cor. to Sec. 32 & 33, from which  
 at Beech 9 in. diam. bear N 52° E 19 lks. dist. &  
 an Ash 5 " " " S 45° W 12 " "

Gently rolling 1<sup>st</sup> rate, timber Beech, Cherry  
 Walnut, Elm, &c. under 7<sup>th</sup> Spruce & Pawpaw

West On S. boundary of Sec. 32

7.85 at Beech 24 in. diam.

40.00 Set q<sup>r</sup>. Sec. post, from which  
 at Beech 27 in. diam. bear South 22 lks. dist. &

171

T13 N R11 E. 2<sup>d</sup>. Mer. Indiana

ch. 2<sup>th</sup>

a Cherry 6 in. diam. bear N10 W 19 lks. dist.  
 57.20 a W. Oak 15 " "  
 80.00 Set post Cor. to Sec. 31 & 32, from which  
 a Sugar 7 in. diam. bear S22 E 35 lks. dist. &  
 an Ash 12 " " " N4 E 22 " "  
 Level land, timber Beech, Ash, Sugar, Elm, &  
 undergrowth Spice & pawpaw, Soil good.

West On S. boundary of Sec. 31

8.75 an Ash 27 in. diam.  
 40.00 Set of Sec. post, from which  
 a Sugar 6 in. diam. bear N40 E 11 lks. dist. &  
 a Beech 5 " " " S21 W 16 " "  
 52.21 Intersected the N. boundary 238 lks. South of temp.  
 post - Set post at intersection Corner to Township  
 N. 12 & 13 North, Range 10 & 11 E, from which  
 an Ash 9 in. diam. bear S81 E 6 lks. dist. &  
 a Hickory 6 " " " S83 W 18 " "  
 Level land, timber Beech, Elm, Ash, &c. undergrowth  
 Spice, Soil good July 10<sup>th</sup> 1879  
 John M. Donald, U. S.

East Boundary var. 5.45' E.

North On E. boundary of Sec. 36

16.00 a Spring Course E.  
 23.50 at Brook 3 lks. wide Course E.  
 32.50 a Do. 3 " " " E.  
 40.00 Set of Sec. post, from which  
 a Beech 16 in. diam. bear N42 W 10 lks. dist. &  
 a Do. 8 " " " S75 E 21 " "  
 56.00 a Brook 3 lks. wide Course E.  
 62.00 a Spring Course E.  
 63.75 a Beech 18 in. diam.  
 75.00 at Brook 3 lks. wide Course E.  
 80.00 Set post Cor. to Sec. 25 & 36, from which  
 a Sugar 16 in. diam. bear S23 W 25 lks. dist. &



T<sup>3</sup>N. R<sup>11</sup>E. 2<sup>d</sup>. Mer. Indiana  
ch. 2<sup>d</sup> l<sup>y</sup>.

a Sugar 16 in. diam., bear N 30 E 42 l<sup>y</sup>. dist.  
Very much broken with deep guts, timber, Beech  
Sugar, Poplar &c.

North On E. boundary of Sec. 25

24.75 at Beech 24 in. diam.

40.00 Set of. Sec. post, from which  
an Ash 16 in. diam. bear N 2 E 11 l<sup>y</sup>. dist. 5  
at Beech 18 " " " S 1 W 46 " "

45.00 at Brook 4 l<sup>y</sup>. wide Course N.W.

57.00 a Do. 15 " " " East

65.00 at Beech 16 in. diam.

80.00 Set post Cor. to Sec. 24 & 25, from which  
at Beech 24 in. diam. bear N 32 W 6 l<sup>y</sup>. dist. 5  
a Do. 10 " " " S 6 E 12 " "  
Rich hilly land, timber Sugar, Poplar, Beech &c.

North On E. boundary of Sec. 24

29.75 an Ash 16 in. diam.

37.00 at Brook 15 l<sup>y</sup>. wide Course E.

40.00 Set of. Sec. post, from which  
a P. Oak 18 in. diam. bear N 30 W 16 l<sup>y</sup>. dist. 5  
at Beech 18 " " " S 68 E 27 " "

58.50 at Beech 20 " "

60.00 a Creek 60 l<sup>y</sup>. wide Course S. E.

65.00 at Brook 5 l<sup>y</sup>. " " W.

80.00 Intersected the Boundary line 175 l<sup>y</sup>. South of  
temp. post (on Boundary) Set post Cor. to Sec. 13 & 24  
T<sup>3</sup>N. R<sup>11</sup>E. from which  
a P. Oak 24 in. diam. bear N 20 E 21 l<sup>y</sup>. dist. 5  
at Beech 20 " " " South 28 " "  
Hilly Beech land. Oct. 10<sup>th</sup>. 1810  
Alexander Holmes, D. S.

North On E. boundary of Sec. 13 var. 6° 30' E.

## T13 N. R11 E. 2. Mer. Indiana

ch. 1/2 lkr.

Bearings at the Corner of Sec. 13 & 24  
 a Beech 25 in. diam. bearing N57°W13 lkr. dist. 4  
 a Do. 12 " " " N89°E23 " "  
 18.47 a Beech 27 " "  
 40.00 Set of Sec. post, from which  
 a Beech 6 in. diam. bearing N40°E10 lkr. dist. 4  
 a Do. 6 " " " N42°W17 " "  
 69.61 a Sugar 21 " "  
 80.00 Set post Cor. to Sec. 12 & 13, from which  
 a Beech 10 in. diam. bearing N51°W17 lkr. dist. 4  
 a Do. 12 " " " S1°E33 " "  
 First 1/2 broken - 2<sup>d</sup> good farming land, timber  
 Beech, Sugar, Ash, Elm, Oak, Hickory &c.  
 underg. <sup>to</sup> Spice & Pawpaw

## North On E. boundary of Sec. 12

2.91 a Beech 33 in. diam.  
 40.00 Set of Sec. post, from which  
 a Sugar 14 in. diam. bearing S84°W18 lkr. dist. 4  
 a Beech 25 " " " S51°E15 " "  
 80.00 Set post Cor. to Sec. 1 & 12 from which  
 a Poplar 16 in. diam. bearing N32°W28 lkr. dist. 4  
 a Do. 21 " " " S58°E25 " "  
 Good farming land, timber same as on last mile

## North On E. boundary of Sec. 1, T13 N. R11 E

5.42 a Beech 20 in. diam.  
 7.50 a Branch 5 lkr. wide Course S.W.  
 21.00 a Do. 4 " " " S.W.  
 40.00 Set of Sec. post, from which  
 an Ash 36 in. diam. bearing S51°W13 lkr. dist. 4  
 a Sugar 16 " " " S89°E4 " "  
 49.50 a Branch 4 lkr. wide Course East  
 51.35 a Beech 27 in. diam.  
 81.50 to the Township Corner  
 Good farming land, Beech, Ash, Poplar, Walnut

ch. 2. 1/2 T13 N. R11 E. 2<sup>d</sup>. Mer. Indiana

Ash, Sugar, Hickory &c. undug. Spruce & Pawpaw  
July 13<sup>th</sup> 1819

North Boundary. var. 6.45'E.

West On S. boundary of Sec. 36, T14 N. R11 E.

25.40 an Ash 12 in. diam.

38.50 a Branch 4 1/2 in. wide Course S.W.

40.00 Set g. Sec. post, from which

a Sugar 21 in. diam. bear N 42 E 26 lks. dist. &

a Beech 20 " " " N 12 W 16 " "

47.00 a Branch 4 lks. wide Course S.W.

47.40 a Beech 25 in. diam.

56.00 a Branch 4 lks. wide Course S.W.

68.00 a Do. 12 " " " S.W.

80.00 Set post cor. to Sec. 35 & 36, from which

a Sugar 21 in. diam. bear N 7 E 19 lks. dist. &

a Beech 6 " " " N 41 W 27 " "

Good farming land, Sugar, Beech, Ash, Poplar,  
Walnut &c. undug. Spruce & Pawpaw

West On S. boundary of Sec. 35, T14 N. R11 E.

7.00 a Branch 5 lks. wide Course S.W.

17.41 a Beech 24 in. diam.

40.00 Set g. Sec. post, from which

a Sugar 6 in. diam. bear N 66 E 17 lks. dist. &

a Beech 30 " " " N 27 E 32 " "

63.00 a Branch 20 lks. wide Course S.E.

78.00 a Poplar 30 in. diam.

80.00 Set post cor. to Sec. 34 & 35, from which

a Sugar 10 in. diam. bear N 68 E 10 lks. dist. &

a Do. 12 " " " N 38 W 15 " "

Good farming land, timber as on last

West On S. boundary of Sec. 34, T14 N. R11 E.

4.00 a Branch 4 lks. wide Course S.E.

40.00 Set g. Sec. post from which

T13 N. R11 E. 2<sup>d</sup> Mer. Indiana

175

Ch<sup>d</sup>. 6<sup>th</sup>.

- a Sugar 21 in. diam. bear N49W 8 lks. dist. &  
 a Beech 6 " " " S4W 8 " "  
 47.00 a Branch 5 lks. wide Course S. E.  
 53.50 Crossed a Wagon road  
 61.28 a Beech 24 in. diam.  
 80.00 Set post Cor. to Sec. 33 & 34, from which  
 a Beech 24 in. diam. bear S67E 15 lks. dist. &  
 a Do. 8 " " " N87W 13 " "  
 Good farming land, timber same as on last mile

West On S. boundary of Sec. 33, T14 N. R11 E.

24.27 an Elm 36 in. diam.

- 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 18 in. diam. bear S88E 8 lks. dist. &  
 a Do. 9 " " " N26E 23 " "

42.50 a Branch 10 lks. wide Course S. E.

63.85 an Elm 16 in. diam.

- 80.00 Set post Cor. to Sec. 32 & 33, from which  
 a Sugar 14 in. diam. bear S36W 28 lks. dist. &  
 a Beech 15 " " " N6E 7 " "  
 Good farming land, timber Beech, Sugar, Ash, Elm  
 Poplar, Walnut &c. underg<sup>d</sup>. Spice & Pawpaw

West On S. boundary of Sec. 32, T14 N. R11 E.

23.48 a Walnut 24 in. diam.

- 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 18 in. diam. bear S67E 24 lks. dist. &  
 a Sugar 6 " " " N81W 25 " "

50.30 a Beech 20 " "

- 80.00 Set post, Cor. to Sec. 31 & 32, from which  
 an Elm 12 in. diam. bear S57W 23 lks. dist. &  
 a Beech 6 " " " N17W 8 " "  
 Rich level land, Sugar, Walnut, Elm, Ash, Buckeye &c  
 underg<sup>d</sup>. Spice & Pawpaw

West On S. boundary of Sec. 31, T14 N. R11 E.



T13 N. R10 E. 2<sup>d</sup> Mer. Indianach<sup>d</sup>. lks.

- 5.64 at Beech 20 in. diam.  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Sugar 10 in. diam. bear S11 W 49 lks. dist. 8  
 an Ash 25 " " " N2 W 13 " "  
 47.40 Intersected the N of S. line and set post Cor. to  
 Township 13 of 14 N. Range 10 of 11 E, from which  
 an Elm 16 in. diam. bear S40 E 32 lks. dist. 8  
 at Beech 18 " " " N35 W 17 " "  
 Good farming land, timber as on last mile

- West Boundary var. 6° 30' E.  
 North On E. boundary of Sec. 36 T13 N. R10 E.  
 5.54 a Beech 36 in. diam.  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
 an Ash 10 in. diam. bear S8 W 10 lks. dist. 8  
 a Do. 8 " " " S40 E 26 " "  
 45.37 a Blue Ash 40 in. diam.  
 68.00 at Branch 12 lks. wide Course S. E.  
 80.00 Set post Cor. to Sec. 25 of 36, from which  
 a Beech 14 in. diam. bear S81 W 29 lks. dist. 8  
 a Do. 8 " " " N44 W 3 " "  
 Rich level land, timber, Sugar, Beech, Ash, Elm,  
 Buckeye &c. Spruce & Pawpaw. July 14<sup>th</sup> 1819

- North On E. boundary of Sec. 25, T13 N. R10 E  
 5.43 a Hickory 10 in. diam.  
 30.00 at Branch 12 lks. wide Course W.  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Sugar 7 in. diam. bear N61 E 5 lks. dist. 8  
 a Do. 6 " " " S29 W 13 " "  
 57.00 at Branch 12 lks. wide Course W.  
 66.00 a Do. 20 " " " S. W.  
 59.30 an Ironwood 7 in. diam.  
 80.00 Set post Cor. to Sec. 24 of 25, from which  
 a Beech 12 in. diam. bear N10 W 12 lks. dist. 8



T13 N. R11 E. 2<sup>d</sup> Mer. Indiana  
ch. lks.

177

a Beech 10 in. diam. bear S 75 W 12 lks. dist. of  
Level rich land, timber same as on last mile

---

North On E. boundary of Sec. 24, T13 N. R11 E.

6.50 a Sugar 14 in. diam.

13.00 at Branch 6 lks. wide Course S. W.

14.00 a Wagon road S. E. & N. W.

40.00 Set q<sup>r</sup>. Sec. post, from which

a Beech 7 in. diam. bear S 8 W 18 lks. dist. of

a Sugar 12 " " " N 39 E 19 " "

61.00 at Branch 20 lks. wide Course S. W.

65.93 at Beech 30 in. diam.

80.00 Set post Cor. to Sec. 13 of 24, from which

a Hackberry 7 in. diam. bear N 27 W 25 lks. dist. of

an Ash 10 " " " S 33 W 27 " "

Level rich land, timber same as on last mile

---

North On E. boundary of Sec. 13, T13 N. R11 E.

2.88 a Hickory 24 in. diam.

36.00 at Branch 8 lks. wide Course S. W.

37.00 a Wagon road from S. W. to N. E.

40.00 Set q<sup>r</sup>. Sec. post, from which

a Beech 12 in. diam. bear S 54 1/2 W 32 lks. dist. of

a Do. 33 " " " N 30 E 35 " "

52.00 at Branch 10 lks. wide Course S. W.

54.50 at Beech 30 in. diam.

80.00 Set post Cor. to Sec. 12 of 13, from which

a Hickory 7 in. diam. bear N 62 W 25 lks. dist. of

an Ash 10 " " " N 16 W 14 " "

Good farming land Sugar, Beech, Ash, Walnut  
Buckeye, &c. Spice & Pawpaw undug<sup>th</sup>.

On the N. E. Cor. of Sec. 13, is a small improvement.

---

North On E. boundary of Sec. 12, T13 N. R11 E.

8.50 a Creek 25 lks. wide Course S. W.

16.55 an Elm 21 in. diam.

T13 N. R11 E. 2<sup>d</sup> Mer. Indiana  
ch. 2<sup>d</sup> 1/4

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Sugar 12 in. diam. bear S56°W 32 lks. dist. &  
a Do. 9 " " " N33°E 20 " "

46.65 a W. Oak 18 in. diam.

80.00 Set post Cor. to Sec. 1 & 12, from which  
an Ash 14 in. diam. bear N33°W 12 lks. dist. &  
an Oak 21 " " " S60°E 13 " "

Good farming land, Sugar, Beech, Ash, Elm,  
Walnut, Oak &c. underg<sup>d</sup>. Spice & Pawpaw

North On E. boundary of Sec. 1, T13 N. R10 E.

7.70 a W. Ash 30 in. diam.

34.00 at Brook 20 lks. wide Course S.W.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 20 in. diam. bear S82°E 6 lks. dist. &  
a Do. 14 " " " N72°W 36 " "

68.60 Intersected Town Corner & set post Corner to  
Townships 13 & 14 N. Range 10 & 11 E, from which  
an Elm 16 in. diam. bear S40°E 32 lks. dist. &  
a Beech 18 " " " N35°W 17 " "

Sand timber &c. Same as on the last mile  
July 15<sup>th</sup> 1819. John M. McDonald, S. S.

### Subdivision

West Between Sec. 25 & 36, T13 N. R11 E.

16.30 a Poplar 48 in. diam.

25.25 to the new Boundary line & set post, from which  
a Beech 24 in. diam. bear S20°E 7 lks. dist. &  
a Hickory 12 " " " N79°W 19 " "

Over hilly 3<sup>d</sup> rate land, timber Beech, Poplar &c

West Between Sec. 24 & 25

2.50 a Beech 20 in. diam.

12.58 to new Boundary line & set post from which  
a Sugar 14 in. diam. bear North 18 lks. dist. &  
a Beech 12 " " " S52°E 9 " "

Over rough 3<sup>d</sup> rate land, timber Beech, Oak, Poplar

T13 N R11 E. 2<sup>d</sup>. Mer. Indiana  
ch. lks.

Sugar Co. January 17<sup>th</sup> 1811

William Ludlow  
Deputy Surveyor

North Between Secs. 35 & 36, T13 N R11 E

3.50 a Sugar 9 in. diam.

38.50 a Stream 35 lks. wide Course N 75 E.

40.00 Set q. Sec. post, from which  
an Elm 15 in. diam. bears N 38 E 16 lks. dist. &  
a Beech 14 " " " S 70 W 3 " "

43.55 a Ho. 14 " "

63.55 a Stream 30 lks. wide Course S.

80.00 Set post Cor. to Secs. 25, 26, 35 & 36, from which  
a Beech 6 in. diam. bears S 88 E 2 lks. dist. &  
a Sugar 15 " " " N 38 W 27 " "  
(Description of land, timber &c Omitted)

East On Rand<sup>m</sup>. between Secs. 25 & 36

40.00 Set temp. q. Sec. post

54.42 Intersected old boundary line 33 lks. N. of post  
Land hilly, timber Beech, Poplar, Oak, undery.<sup>th</sup>  
Spice & Pawpaw, Greenbrier Aug. 21. 1819

West Corried between Secs. 25 & 36

39.33 Set q. Sec. post at average dist. from which  
a Beech in. diam. bears S 5 E 7 lks. dist. &  
a Sugar 24 " " " N 25 W 44 " "

78.66 to Sec. Corner

North Between Secs. 25 & 26

3.75 a Beech 18 in. diam.

27.50 a Spring S 30 W

40.00 Set q. Sec. post, from which  
a Sugar 14 in. diam. bears S 59 W 13 lks. dist. &  
a Ho. 6 " " " N 60 W 34 " "

41.00 a Beech 12 in. diam.

T<sup>h</sup> N. R. N. E. 2<sup>d</sup> Mer. Indiana  
ch. lkr.

80.00 Set post Cor. to Sec. 25, 26, 23 & 24, from which  
a Hickory 12 in. diam. bears S 50 E 10 lkr. dist. &  
a Beech 6 " " " N 33 W 20 " "  
Land broken, timber Beech, Poplar, Sugar &c.

East On Rand<sup>m</sup>. between Sec. 24 & 25

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

65.82 Intersected the Old boundary 10 lkr. N. of post  
Land hilly, timber Beech, Poplar, Sugar & Ash  
underg<sup>d</sup>. Bush of various kinds

West Connected between Sec. 24 & 25

39.20 Set q<sup>r</sup>. Sec. post at average dist from which  
a Sugar 12 in. diam. bears S 23 E 14 lkr. dist. &  
a Beech 5 " " " N 30 W 12 " "

78.40 to Sec. Corner.

North Between Sec. 23 & 24

17.28 a Beech 12 in. diam.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Walnut 8 in. diam. bears N 64 E 10 lkr. dist. &  
an Ash 3 " " " N 63 W 12 " "

44.59 a Beech 24 " "

80.00 Set post Cor. to Sec. 13, 14, 23 & 24, from which  
a Beech 4 in. diam. bears N 35 E 24 lkr. dist. &  
a Sugar 10 " " " S 50 W 32 " "  
Land hilly, timber same as on last mile

East On Rand<sup>m</sup>. between Sec. 13 & 24

2.00 a Sugar 12 in. diam.

20.01 a Stream 25 lkr. wide Course S. 20 E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.41 Intersected the E. boundary 23 lkr. N. of post  
Land hilly & rough, timber Beech, Poplar &c.



S. B. K. N. E. 2<sup>d</sup> Mer. Indiana  
ch. l. k.

West Corner between Sec. 13 & 24

40.20<sup>1</sup>/<sub>2</sub> Sec. q. Sec. post at average dist. from which  
a Beech 24 in. diam. bran S 20 E 20 lks. dist. &  
a do. 10 " " " N 22 W 30 " "  
80.41 to Sec. Corner.

North Between Sec. 13 & 14

14.15 an Elm 24 in. diam.

40.00 Set q. Sec. post, from which  
a Sugar 9 in. diam. bran S 69 W 3 lks. dist. &  
a Beech 12 " " " N 44 W 29 " "

45.20 a Beech 18 " "

80.00 Set post cor. to Sec. 11, 12, 13 & 14, from which  
a Beech 30 in. diam. bran N 32 W 12 lks. dist. &  
a dogwood - " " " S 37 E 12 " "  
Land hilly & rough, timber as usual

East On Rand. between Sec. 12 & 13

10.20 a Beech 12 in. diam.

40.00 Set temp. q. Sec. post

53.50 a Stream 30 lks. wide Course S 43 E

78.00 Intersected the E. boundary 2 lks. N. of post  
Land hilly, timber Beech & Poplar.

West Corner between Sec. 12 & 13

5.29 a Sugar 30 in. diam.

39.00 Set q. Sec. post at average dist. from which  
a Sugar 6 in. diam. bran S 25 W 12 lks. dist. &  
a Beech 9 " " " N 36 W 10 " "

78.00 to Sec. Corner Aug. 25<sup>th</sup> 1879

North Between Sec. 11 & 12

5.12 a Beech 18 in. diam.

40.00 Set q. Sec. post, from which  
a Sugar 12 in. diam. bran S 83 E 27 lks. dist. &



T13 N. R11 E. 2<sup>d</sup> Mer. Indiana  
ch. lks.

- a Sugar 4 in. diam. bear S60 W 25 lks. dist.  
47.04 a Sugar 12 " "  
70.00 a Stream 20 lks. wide cr. S. E. mill-seat 20 ft. fall  
80.00 Set post Cor. to Sec. 1, 2, 11 & 12, from which  
a Hickory 24 in. diam. bear N77 W 10 lks. dist. &  
a Sugar 12 " " " N77 W 10 " "  
(N.B. These two trees must occupy the same spot.)  
Land hilly, timber Beech, Poplar, Sugar, Ash &c.

East On Rand<sup>m</sup> between Sec. 1 & 12

- 3.09 a Beech 18 in. diam.  
40.00 Set temp<sup>y</sup> gr. sec. post  
78.04 Intersected the E. boundary 47 lks. S. of post  
Land 2<sup>d</sup> rate, timber, Beech, Poplar, Sugar  
Ash, Buckeye, undg<sup>d</sup> Spice & greenbrier

West Connected between Sec. 1 & 12

- 39.02 Set gr. sec. post at average dist. from which  
a Beech 12 in. diam. bear S53 W 23 lks. dist. &  
a No. 6 " " " N50 E 16 " "  
78.04 to Sec. Corner.

North Between Sec. 1 & 2, T13 N. R11 E

- 3.13 a Beech 24 in. diam.  
40.00 Set gr. sec. post, from which  
a Beech 20 in. diam. bear N65 W 9 lks. dist. &  
a Sugar 12 " " " N71 E 20 " "  
54.22 a Beech 12 " "  
82.20 Intersected the N. boundary 36 7/8 lks. E. of post  
Set post Cor. to Sec. 1 & 2, from which  
a Poplar 12 in. diam. bear N22 E 9 lks. dist. &  
a Beech 6 " " " S10 E 30 " "  
Land level 1<sup>st</sup> rate. August 26<sup>th</sup> 1819

North Between Sec. 34 & 35

- 17.20 a Beech 12 in. diam.

# T13. N. R11 E. 2. Mer. Indiana

ch. 40.

40.00 Set of Sec. post, from which  
a Cherry 12 in. diam., bear N60 E 30 lks. dist. of  
at Beech 10 " " " S33 N14 " "

50.00 a Sugar 12 " "

80.00 Set post Cor. to Sec. 26, 27, 34 & 35, from which  
a Sugar 12 in. diam., bear S49 N2 lks. dist. of  
at Beech 4 " " " N60 E3 " "

Land very hilly 3<sup>rd</sup> rate, thick with brush,  
timber Beech, Sugar, Poplar, Ash & Walnut

East On Land<sup>m</sup> between Sec. 26 & 35

5.50 a Poplar 15 in. diam.

26.50 a Spring N75 E.

40.00 Set temp. of Sec. post

62.00 a stream 30 lks. wide Course S. 10 E.

81.15 Intersected the N. & S. line 164 lks. N. of post  
Land broken as on last mile

West Corrected between Sec. 26 & 35

3.58 a Sugar 12 in. diam.

40.57 1/2 Set of Sec. post at average dist. from which  
a Hickory 3 in. diam., bear N44 W13 lks. dist. of  
a Beech 12 " " " S27 E17 " "

81.35 to Sec. Corner

North Between Sec. 26 & 27

40.00 Set of Sec. post, from which  
a Beech 24 in. diam., bear N28 E12 lks. dist. of  
a Do. 12 " " " S45 N25 " "

45.00 a Beech 18 " "

80.00 Set post Cor. to Sec. 22, 23, 26 & 27, from which  
a Sugar 12 in. diam., bear N4 W15 lks. dist. of  
a Do. 6 " " " N15 E19 " "

Land hilly & thick with brush, timber Beech, Poplar  
Ash, Buckeye and Angartree

184

T<sup>h</sup> 13<sup>th</sup> N R 11 E, 2<sup>d</sup> Mer. Indiana

ch. lks.

East On Rand<sup>m</sup>, between Sec<sup>s</sup>. 23 & 26

2.59 a Sugar 15 in. diam.

20.00 a Stream 15 lks. wide Course S<sup>20</sup> E

38.00 a Do 20 " " " S 40 E

80.45 Intersected the N & S. line 192 lks. N. of post  
Land hilly, timber Beech, Poplar, Ash  
Puckeye & Sugar tree

West Corrected between Sec<sup>s</sup>. 23 & 26

3.13 a Beech 15 in. diam.

40.22<sup>1</sup>/<sub>2</sub> Set q<sup>r</sup>. Sec. post at average dist. from which  
a Sugar 8 in. diam. bear S 42 E 20 lks. dist. of  
a Puckeye 12 " " " N 47 W 4 " "

80.45 to Sec. Corner, August 27<sup>th</sup> 1819

North Between Sec<sup>s</sup>. 22 & 23

5.50 a Beech 18 in. diam.

40.00 Stream 15 lks. wide Course S. E.

40.00 Set q<sup>r</sup>. Sec. post, from which

a Beech 12 in. diam. bear N 38 W 5 lks. dist. of  
a Sugar 12 " " " S 55 E 32 " "

66.50 a Sugar 36 " "

80.00 Set post Cor. to Sec<sup>s</sup>. 14, 15, 22 & 23, from which  
a Beech 24 in. diam. bear S 32 E 26 lks. dist. of  
an Ash 10 " " " N 50 E 22 " "

Land broken & rough, timber, Beech, Poplar  
Ash, Sugar &c

East On Rand<sup>m</sup>, between Sec<sup>s</sup>. 14 & 23

1.50 a Beech 24 in. diam.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

79.50 Intersected the N & S. line 200 lks. N. of post  
Land very uneven & brushy, timber Beech, Poplar,  
Ash, Puckeye, Sugar &c.

West Corrected between Sec<sup>s</sup>. 14 & 23

S 13 N R 11 E. 2<sup>d</sup> Mer. Indianach. 1<sup>st</sup> Mer.

2.16 a Beech 18 in. diam.

39.75 Set q<sup>r</sup>. Sec. post at average dist. from which  
an Ash 15 in. diam.; bear S 46 E 15 lks. dist. of  
a Sugar 12 " " " N 23 W 10 " "

79.50 to Sec. Corner

## North Between Secs. 14 &amp; 15

5.60 a Beech 30 in. diam.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Sugar 12 in. diam.; bear S 47 W 9 lks. dist. of  
a Beech 4 " " " N 40 E 32 " "

45.93 a Sugar 15 " "

80.00 Set post Cor. to Secs. 10, 11, 14 & 15, from which  
a Sugar 12 in. diam.; bear S 49 E 21 lks. dist. of  
a Beech 36 " " " N 39 W 45 " "Land level Covered with Spice & brush of  
every description Soil 3<sup>rd</sup> rate. Aug. 28. 1879.East On Rand<sup>m</sup>. between Secs. 11 & 14

16.87 a Beech 14 in. diam.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

48.70 a Stream 20 lks. wide Course South

79.02 Intersected the N & S. line 26 lks. N. of post  
Land hilly & thickly Covered with briars

## West Corroded between Secs. 11 &amp; 14

1.33 a Sugar 12 in. diam.

39.51 Set q<sup>r</sup>. Sec. post at average dist. from which  
a Beech 24 in. diam.; bear N 39 E 7 lks. dist. of  
a Sugar 24 " " " S 40 E 42 " "

79.02 to Sec. Corner

## North Between Secs. 10 &amp; 11

3.42 a Sugar 15 in. diam.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 9 in. diam.; bear S 10 E 4 lks. dist. of



186

S 13 N N E. 2<sup>d</sup> Mer. Indiana

ch 2 lks.

at Beech 12 in. diam. bear N 53° W 20 lks. dist.

63.13 a Do. 12 " "

80.00 Set post Cor. to Sec. 1, 2, 10 & 11, from which  
at Beech 4 in. diam. bear S 46° E 23 lks. dist.

a Sugar 12 " " " N 45° W 2 " "

Land not so much broken, timber Beech,  
Poplar &c. August 29<sup>th</sup> 1819

East On Rand<sup>m</sup>. between Sec. 1, 2 & 11

9.15 a Beech 20 in. diam.

40.00 Set temp. q. Sec. post,

50.00 a Spring Course East

68.50 a Stream 3 lks. wide Course S 50° E.

79.09 Intersected the N & S. line 37 3/4 lks. N. of post  
Land 2<sup>d</sup> Rate, timber Beech, Sugar &c.

West Connected between Sec. 1, 2 & 11

2.95 a Sugar 15 in. diam.

39.54 Set q. Sec. post at average dist. from which  
at Beech 12 in. diam. bear N 58° W 15 lks. dist.

a Do. 15 " " " S 34° E 20 " "

79.09 to Sec. Corner.

North Between Sec. 1, 2 & 3

40.00 Set q. Sec. post, from which

at Beech 36 in. diam. bear N 50° W 9 lks. dist.

a Sugar 12 " " " S 35° E 20 " "

46.93 a Elm 15 " "

78.70 Intersected N. boundary 50 9/10 lks. E. of post  
Set post Cor. to Sec. 1, 2 & 3, from which

at Beech 18 in. diam. bear S 75° W 37 lks. dist.

a Do. 6 " " " N 78° W 10 " "

Land level & rich, timber Walnut, Sugar &c.

August 30<sup>th</sup> 1819

North Between Sec. 33 & 34



187

T B N P M E. 2<sup>d</sup> Mer. Indiana

Ch. 2<sup>d</sup> Lk.

18.50 at Beech 24 in. diam.

40.00 Set g. Sec. post, from which  
at Beech 4 in. diam. bear S 43 E 20 lks. dist. of  
a No. 12 " " " N 17 W 13 " "

47.35 an Ash 24 " "

80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which  
a Sugar 4 in. diam. bear N 49 W 9 lks. dist. of  
an Ash 15 " " " S 23 E 30 " "

First 1/2 mile hilly, timber Beech, Poplar &c.  
last 1/2 mile 2<sup>d</sup> rate

East On Rand<sup>m</sup> between Sec. 27 & 34

3.00 a Stream 10 lks. wide Course S 45 E.

3.25 a B. Oak 18 in. diam.

40.00 Set temp. g. Sec. post

79.85 Intersected the N & S. line 14 3/4 lks. N. of post  
Land level, timber Ash, Poplar &c.

West Connected between Sec. 27 & 34

9.81 a Sugar 15 in. diam.

39.92 1/2 Set g. Sec. post at average dist. from which  
a Beech 5 in. diam. bear N 20 E 20 lks. dist. of  
a No. Oak 12 " " " S 73 W 22 " "

79.85 to Sec. Corner.

North Between Sec. 27 & 28

10.93 at Beech 12 in. diam.

40.00 Set g. Sec. post, from which  
at Beech 18 in. diam. bear N 63 E 21 lks. dist. of  
a Sugar 12 " " " S 64 W 22 " "

80.00 Set post Cor. to Sec. 21, 22, 27 & 28, from which  
a Beech 12 in. diam. bear S 77 E 8 lks. dist. of  
a Sugar 4 " " " S 60 W 11 " "

Land level 1<sup>st</sup> rate, timber Poplar, Walnut,  
Ash &c.

T<sup>h</sup> 13 N R 11 E. 2<sup>nd</sup> Mer. IndianaCh<sup>g</sup> 1/4 Sec.

East On Rand<sup>m</sup> between Sec<sup>s</sup> 22 & 27  
 3.36 a W. Oak 15 in. diam.  
 40.00 Set temp<sup>y</sup>. g<sup>r</sup>. Sec. post  
 79.67 Intersected the N & S. line 140 lks. N. of post  
 Sand good, timber Sugar, Poplar, Walnut &c.

---

West Corrected between Sec<sup>s</sup> 22 & 27

5.86 a Sugar 8 in. diam.  
 39.84 Set g<sup>r</sup>. Sec. post at average dist. from which  
 a Sugar 12 in. diam. bear N 24 E 29 lks. dist.  
 a Do. 8 " " " N 24 W 18 " "  
 79.67 to Sec. corner

---

North Between Sec<sup>s</sup> 21 & 22

12.26 a Beech 20 in. diam.  
 40.00 Set g<sup>r</sup>. Sec. post, from which  
 a Sugar 12 in. diam. bear S 71 E 19 lks. dist.  
 a Do. 12 " " " N 57 W 20 " "  
 42.75 a Poplar 36 " "  
 80.00 Set post Cor. to Sec<sup>s</sup> 15, 16, 21 & 22, from which  
 a Beech 6 in. diam. bear S 62 E 7 lks. dist.  
 a Do. 12 " " " N 72 W 20 " "  
 Sand 1<sup>st</sup> rate, timber Poplar, Walnut, undg<sup>r</sup>. Spice

---

East On Rand<sup>m</sup> between Sec<sup>s</sup> 15 & 22

5.12 a Beech 18 in. diam.  
 40.00 Set temp<sup>y</sup>. g<sup>r</sup>. Sec. post  
 80.44 Intersected the N & S. line 186 lks. N. of post  
 Sand 1<sup>st</sup> rate, timber Beech, Sugar, Walnut &  
 Ash, undg<sup>r</sup>. Spice & green tree

---

West Corrected between Sec<sup>s</sup> 15 & 22

6.54 a Sugar 10 in. diam.  
 40.22 Set g<sup>r</sup>. Sec. post at average dist. from which  
 a Sugar 6 in. diam. bear S 80 E 21 lks. dist.  
 a Beech 15 " " " N 64 W 39 " "

S 13 N R 11 E. 2<sup>d</sup>. Mer. Indiana  
Ch. Lk.  
80.44 to Sec. Corner

North Between Sec. 15 & 16

11.72 a Sugar 12 in. diam.

40.00 Set of Sec. post, from which  
at Beech 12 in. diam., bear S 41 W 26 Lk., dist. of  
a Poplar 18 " " " N 57 E 18 " "

42.11 at Beech 30 " "

80.00 Set post cor. to Sec. 9, 10, 15 & 16, from which  
at Beech 9 in. diam., bear N 73 E 12 Lk., dist. of  
a Do. 12 " " " N 85 W 10 " "  
Land 1<sup>st</sup> rate, timber Beech, Ash, Walnut,  
Hickory &c. undug<sup>d</sup>. Spruce Aug. 31<sup>st</sup> 1819

East On Land<sup>m</sup>. between Sec. 10 & 15

4.81 a Sugar 8 in. diam.

40.00 Set temp. of Sec. post

81.71 Intersected the N & S. line 98 Lk. N. of post  
Land timber &c. same as on the last mile

West Cornetted between Sec. 10 & 15

3.90 at Beech 15 in. diam.

40.85 at of Sec. post at average dist. from which  
at Beech 18 in. diam., bear N 64 W 17 Lk., dist. of  
a Do. 4 " " " S 45 E 12 " "

81.71 to Sec. Corner

North Between Sec. 9 & 10

22.65 at Beech 30 in. diam.

40.00 Set of Sec. post, from which  
an Ash 12 in. diam., bear N 70 W 3 Lk., dist. of  
a Do. 10 " " " S 40 E 14 " "

49.53 at Beech 16 " "

80.00 Set post cor. to Sec. 3, 4, 9 & 10, from which  
an Ash 15 in. diam., bear N 32 W 16 Lk., dist. of

Sp. N. R. N. E. 2<sup>d</sup>. Mer. Indiana  
 at Beech 12 in. diam., bear S 34 E 29 lks. dist.  
 Sand 1<sup>st</sup> rate, timber Ash, Walnut, Sugar &c.  
 underg<sup>th</sup>. Spice wood

---

East On Rand<sup>m</sup> between Sec<sup>s</sup>. 3 of 10

4.68 an Ash 30 in. diam.

40.00 Set limpt. q<sup>r</sup>. Sec. post

82.39 Intersected the N & S. line 138 lks. N. of post

Sand timber &c. same as on the last mile

---

West Connected between Sec<sup>s</sup>. 3 of 10

3.64 a Poplar 36 in. diam.

41.19 1/2 Set q<sup>r</sup>. Sec. post, at average dist. from which  
 a Sugar 4 in. diam., bear S 75 W 6 lks. dist. of  
 a Do. 18 " " " N 81 W 28 " "

82.39 to Sec. Corner.

---

North Between Sec<sup>s</sup>. 3 of 4

8.20 at Beech 12 in. diam.

40.00 Set q<sup>r</sup>. Sec. post, from which

a Beech 10 in. diam., bear N 20 W 12 lks. dist. of

a Do. 6 " " " S 69 E 20 " "

54.35 an Elm 12 " "

77.00 Intersected the N. boundary 158 lks. E. of post

Set post Cor. to Sec<sup>s</sup>. 3 of 4, from which

a Beech 4 in. diam., bear S 69 W 26 lks. dist. of

a Do. 10 " " " N 55 E 25 " "

Sand timber &c. same as on the last mile

September 1<sup>st</sup> 1819

---

North Between Sec<sup>s</sup>. 32 of 33

4.15 a Beech 18 in. diam.

40.00 Set q<sup>r</sup>. Sec. post, from which

a Beech 10 in. diam., bear S 24 E 22 lks. dist. of

a Do. 8 " " " N 26 E 39 " "

43.89 a Beech 18 " "



# 191

## S 13 N R 11 E. 2<sup>d</sup> Mer. Indiana

Ch. 1<sup>st</sup> Mer.

80.00 Set post Cor. to Sec. 28, 29, 32 & 33, from which  
a Beech 15 in. diam. bears S 63 E. 11 lks. dist. &  
a Sugar 4 " " " N 30 W 15 " "  
Land 1<sup>st</sup> rate, timber, Poplar, Ash &c.

---

East On Rand<sup>m</sup> between Sec. 28 & 33

2.95 a W. Oak 36 in. diam.

40.00 Set temp<sup>y</sup>. of Sec. post

80.21 Intersected the N & S. line 82 lks. N. of post  
Land 1<sup>st</sup> rate, timber Ash, Buckeye, Walnut, Beech,  
Poplar, &c. underg<sup>th</sup> Spruce. Sept. 2<sup>d</sup> 1879

---

West Corrected between Sec. 28 & 33

5.68 a Sugar 15 in. diam.

40.10 1/2 Set of Sec. post at average dist. from which  
a Beech 4 in. diam. bears S 34 E 14 lks. dist. &  
a Do. 30 " " " N 38 W 14 " "

80.21 to Sec. Corner.

---

North Between Sec. 28 & 29

7.53 an Ash 15 in. diam.

40.00 Set of Sec. post, from which  
a Sugar 4 in. diam. bears N 30 W 20 lks. dist. &  
a Do. 12 " " " N E 19 " "

47.74 an Ash 24 " "

80.00 Set post Cor. to Sec. 20, 21, 28 & 29, from which  
a Dogwood 3 in. diam. bears N 13 W 9 lks. dist. &  
a Sugar 12 " " " S 61 E 25 " "  
Land 1<sup>st</sup> rate, timber as usual.

---

East On Rand<sup>m</sup> between Sec. 21 & 28

4.41 a Beech 18 in. diam.

40.00 Set temp<sup>y</sup>. of Sec. post

80.50 Intersected the N & S. line 31 lks. N. of post  
Land 1<sup>st</sup> rate, timber as usual.

---



S 13 N R 11 E 2<sup>n</sup> Mer. Indiana

ch. lks.

West Corrected between Sec. 21 &amp; 28

7.01 a Small Beech 3 in. diam.

40.25 Set q. Sec. post at average dist. from which  
a Sugar 12 in. diam. bear N 17 W 20 lks. dist. of  
an Elm ~~2~~ 10 " " S 78 W 34 " "

80.50 to Sec. Corner

North Between Sec. 20 &amp; 21

12.55 at Beech 24 in. diam.

40.00 Set q. Sec. post, from which  
a Sugar 15 in. diam. bear N 44 W 24 lks. dist. of  
an Elm 10 " " " S 33 E 25 " "

48.65 a Sugar 12 " "

80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which  
a Beech 18 in. diam. bear S 7 W 2 lks. dist. of  
a Do. 5 " " " N 49 W 12 " "  
Land 1<sup>st</sup> rate, timber Walnut, Beech, Ash &cEast On Rand<sup>m</sup>. between Sec. 16 & 21

7.31 at Beech 24 in. diam.

40.00 Set temp. q. Sec. post

80.71 Intersected the N & S. line 74 lks. N. of post  
Land 1<sup>st</sup> rate, timber, Beech, Ash, Poplar &c.  
under <sup>the</sup> Sprucewood.

West Corrected between Sec. 16 &amp; 21

6.74 at Beech 5 in. diam.

40.35 Set q. Sec. post at average dist. from which  
a Sugar 12 in. diam. bear S 12 E 12 lks. dist. of  
a Do. 18 " " " N 12 W 19 " "

80.71 to Sec. Corner.

North Between Sec. 16 &amp; 17

6.43 a Sugar tree 12 in. diam.

40.00 Set q. Sec. post, from which  
at Beech 12 in. diam. bear S 63 W 2 lks. dist. of

Camp

193

T13 N. R11 E. 2<sup>nd</sup> Mer. Indiana

ch. lks.

- a Beech 20 in. diam.; bear S 82 E 32 lks. dist.  
 46.64 a Sugar 36 " "  
 80.00 Set post cor. to Sec. 8, 9, 16 of 17, from which  
 a Sugar 12 in. diam.; bear N 60 E 2 lks. dist. of  
 a Do. 4 " " " N 77 W 25 " "  
 Land 1<sup>st</sup> rate, timber as usual  
 September 3<sup>rd</sup> 1879
- 

## East On Random between Sec. 9 &amp; 16

- 8.55 a Beech 12 in. diam.;  
 40.00 Set temp. g. Sec. post  
 80.40 Intersected the N & S. line 89 lks. N. of post  
 Land 1<sup>st</sup> rate, timber Walnut, Ash, Buckeye &c.  
 Undergrowth Spicewood
- 

## West Corrected between Sec. 9 &amp; 16

- 8.50 a Spruce 15 in. diam.;  
 40.20 Set g. Sec. post at average dist. from which  
 a Sugar 4 in. diam.; bear N 23 W 12 lks. dist. of  
 a Do. 12 " " " S 23 E 24 " "  
 80.40 to Sec. Corner
- 

## North Between Sec. 8 &amp; 9

- 20.45 an Ash 30 in. diam.;  
 40.00 Set g. Sec. post, from which  
 a Sugar 12 in. diam.; bear N 75 W 8 lks. dist. of  
 a Beech 36 " " " N 85 E 12 " "  
 56.58 an Ash 20 " "  
 80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which  
 a Buckeye 10 in. diam.; bear N 79 E 19 lks. dist. of  
 a Hickory 8 " " " S 61 E 21 " "  
 (Description of land &c. Omitted)
- 

East Between Sec. 4 & 9 on Rand<sup>m</sup>

- 5.46 a Sugar 12 in. diam.;  
 40.00 Set g. Sec. post temporarily

194

S 13 N R 11 E. 2.<sup>d</sup> Mer. Indiana

ch. lks.

80.46 Intersected the N. of S. line 96 lks. N. of post  
Land 1<sup>st</sup> rate, timber Beech, Poplar, Ash &c.

West Correlated between Sec. 4 & 9

2.43 at Beech 30 in. diam.

40.23 Set of sec. post at average dist. from which  
a Beech 12 in. diam. bear N 75 W 9 lks. dist. of  
a Do. 15 " " " S 63 E 16 " "

80.46 to Sec. Corner. September 4<sup>th</sup> 1879

North Between Sec. 4 & 5

25.41 a Sugar 10 in. diam.

40.00 Set of sec. post, from which  
a Beech 18 in. diam. bear N 35 E 25 lks. dist. of  
an Ash 30 " " " N 85 W 13 " "

49.79 a Beech 20 " "

76.05 Intersected N. boundary 117 lks. E. of post of  
Set post Cor. to Sec. 4 & 5, from which  
a Beech 20 in. diam. bear S 38 E 35 lks. dist. of  
a Do. 12 " " " N 49 E 6 " "  
(Description of land &c. Omitted)

North Between Sec. 31 & 32

10.72 an Ash 10 in. diam.

40.00 Set of sec. post, from which  
a W. Oak 18 in. diam. bear N 43 W 15 lks. dist. of  
a Do. 12 " " " S 60 E 39 " "

80.00 Set post cor. to Sec. 29, 30, 31 & 32, from which  
a Sugar 4 in. diam. bear N 75 E 29 lks. dist. of  
a Beech 30 " " " S 61 W 9 " "  
Land 1<sup>st</sup> rate, timber as before.

East On Randm. between Sec. 29 & 32

4.82 an Elm 15 in. diam.

40.00 Set temp. of sec. post

S 13 N R 11 E 2<sup>d</sup>. Mer. Indiana  
 ch. 2<sup>d</sup> lks.  
 80.00 Intersected the N & S. line 85 lks. N. of post  
 Land 2<sup>d</sup>. rate, Beech, Ash &c

---

West Connected between Sec. 29 & 32

5.50 a Beech 30 in. diam.

40.00 Set q. sec. post at average dist. from which  
 a Beech 4 in. diam. bear 180 E 10 lks. dist. &  
 an Ash 10 " " " N 32 W 2 " "

80.00 to Sec. Corner Sept. 7<sup>th</sup> 1819

---

West between Sec. 30 & 31

8.24 a Beech 8 in. diam.

40.00 Set q. sec. post, from which  
 a Beech 12 in. diam. bear 167 E 16 lks. dist. &  
 a W. Oak 12 " " " N 11 E 4 " "

52.25 Intersected the W. boundary 9 lks. S. of post, set  
 post Cor. to Sec. 30 & 31, from which  
 a Sugar 12 in. diam. bear N 71 E 2 lks. dist. &  
 a Do. 7 " " " N 57 W 11 " "  
 Land 2<sup>d</sup>. rate.

---

North Between Sec. 29 & 30

12.22 an Elm 14 in. diam.

40.00 Set q. sec. post, from which  
 a Sugar 12 in. diam. bear N 21 E 25 lks. dist. &  
 a Hickory 6 " " " S 26 W 25 " "

51.80 a Sugar tree 12 " "

80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which  
 a Beech 18 in. diam. bear 160 E 12 lks. dist. &  
 a Sugar 10 " " " N 82 W 26 " "

(Description of land timber &c omitted)

---

East On Rand. between Sec. 20 & 29

4.49 a Beech 36 in. diam.

40.00 Set temp. q. sec. post

80.00 Intersected the N & S. line 159 lks. N. of post



13 N R 11 E 2<sup>d</sup> Mer. Indiana  
 ch. 2<sup>d</sup> l<sup>y</sup>.  
 Land 1<sup>st</sup> rate, Sugar tree &c

West Corrected between Sec. 20 & 29

6.50 an Ash 8 in. diam.

40.00 Set gp. sec. post at average dist. from which  
 a Sugar 15 in. diam. bear N 42 W 20 l<sup>y</sup>. dist. &  
 a Do. 20 " " " N 89 W 10 " "

80.00 to Sec. Corner

West Between Sec. 19 & 30

11.29 a W. Oak 15 in. diam.

40.00 Set gp. sec. post, from which  
 an Ironwood 3 in. diam. bear N 5 E 4 l<sup>y</sup>. dist. &  
 a Sugar 12 " " " S 43 E 6 " "

51.61 Interdicted W. boundary 145 l<sup>y</sup>. S. of post, set  
 post Cor. to Sec. 19 & 30, from which  
 a Beech 12 in. diam. bear N 50 W 7 l<sup>y</sup>. dist. &  
 a Do. 15 " " " S 42 E 17 " "  
 Land 1<sup>st</sup> rate.

North Between Sec. 19 & 20

14.58 a Beech 20 in. diam.

40.00 Set gp. sec. post, from which  
 a Beech 36 in. diam. bear N 11 W 21 l<sup>y</sup>. dist. &  
 a Do. 12 " " " S 60 W 22 " "

55.71 an Ash 24 " "

80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which  
 a Beech 12 in. diam. bear N 36 E 22 l<sup>y</sup>. dist. &  
 an Ash 2 " " " West 19 " "  
 Land 1<sup>st</sup> rate. September 8<sup>th</sup> 1819

East On Rand<sup>m</sup>. between Sec. 17 & 20

3.56 a Beech 24 in. diam.

40.00 Set temp. gp. sec. post

79.76 Interdicted the N & S line 190 l<sup>y</sup>. North of post  
 Land 1<sup>st</sup> rate, timber Beech, Walnut &c. under 1<sup>st</sup> Spruce

T<sup>3</sup> N. R. 11 E. 2<sup>nd</sup> Mer. Indiana

197

ch. lks.

West Corrected between Sec. 17 & 20

- 6.84 a Sugar 20 in. diam.  
 39.88 Set q. sec. post at average dist. from which  
 a Hickory 4 in. diam. bear 150 E 5 lks. dist. of  
 a Buckeye 5 " " " N 59 E 11 " "  
 79.76 to Sec. Corner.

West between Sec. 18 & 19

- 8.17 a Beech 15 in. diam.  
 40.00 Set q. sec. post, from which  
 a Walnut 30 in. diam. bear N 29 W 2 lks. dist. of  
 a Sugar 10 " " " S 25 E 14 " "  
 50.11 Intersected W. boundary 157 lks. S. of post. & set  
 post Cor. to Sec. 18 & 19, from which  
 a Beech 10 in. diam. bear N 59 E 15 lks. dist. of  
 a Sugar 6 " " " N 78 W 16 " "  
 (description of land, timber &c omitted)

North Between Sec. 17 & 18

- 4.23 an Elm 16 in. diam.  
 40.00 Set q. sec. post, from which  
 an Ash 18 in. diam. bear N 50 W 10 lks. dist. of  
 an Ironw. 6 " " " S 80 E 27 " "  
 52.60 a Sugar 12 " "  
 80.00 Set post Cor. 7, 8, 17 & 18, from which  
 an Ash 12 in. diam. bear S 31 W 25 lks. dist. of  
 a Do. 10 " " " N 10 E 37 " "  
 Land 1<sup>st</sup> rate.

East On Rand<sup>m</sup>. between Sec. 8 & 17

- 6.32 a Beech 30 in. diam.  
 40.00 Set temp. q. sec. post  
 79.05 Intersected N of S. line 205 lks. — off post  
 Land 1<sup>st</sup> rate

West Corrected between Sec. 8 & 17

T3. N. W. E. 2<sup>d</sup> Mer. Indiana

ch. 2. lkr.

- 5.30 a Beech 30 in. diam.  
 39.52 Set q<sup>r</sup>. Sec. post, at average dist. from which  
 an Ash 12 in. diam. bear N 75° W 20 lkr. dist. of  
 a Do. 3 " " " S 63° W 20 " "  
 79.05 to Sec. Corner

West Between Sec. 7 &amp; 18

14.76 a W. Oak 15 in. diam.

- 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Sugar 12 in. diam. bear S 64° W 9 lkr. dist. of  
 a Hickory 15 " " " N 37° W 4 " "

- 49.58 Intersected W. boundary 233 lkr. S. of post & set  
 a post Cor. to Sec. 7 & 18, from which  
 a Beech 20 in. diam. bear N 10° W 14 lkr. dist. of  
 an Ash 6 " " " S 25° E 39 " "  
 Land 1<sup>st</sup> rate

North Between Sec. 7 &amp; 8

9.14 a Walnut 18 in. diam.

- 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Sugar 4 in. diam. bear S 42° W 13 lkr. dist. of  
 an Ash 15 " " " N 43° E 12 " "

56.57 a Sugar 15 " "

- 80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which  
 a Sugar 3 in. diam. bear N 78° E 12 lkr. dist. of  
 a Do. 4 " " " N 89° W 20 " "  
 Land 1<sup>st</sup> rate, timber Ash, Sugar, Beech, Walnut  
 &c. September 8<sup>th</sup> 1819

East On Land<sup>m</sup>. between Sec. 5 & 8

4.08 a Beech 12 in. diam.

40.00 Set timpp<sup>r</sup>. q<sup>r</sup>. Sec. post

- 78.80 intersected the N & S line 210 lkr. N. of post  
 Land 1<sup>st</sup> rate, timber Beech, Poplar, Walnut, Ash &c.  
 undergrowth Spicewood.

*T.B.N. R.N.E. 2.<sup>d</sup> Mer. Indiana*  
*ch. lks.*

*West Cornered between Sec. 5 & 8*

*5.64 a Beech 14 in. diam.*

*39.40 Set q. Sec. post at average dist. from which  
 a Sugar 12 in. diam. bear N 75 E 14 lks. dist. of  
 at Beech 10 " " " S 73 W 27 " "*

*78.80 to Sec. Corner.*

*West Between Sec. 6 & 7*

*7.78 a Sugar 18 in. diam.*

*40.00 Set q. Sec. post, from which  
 at Beech 20 in. diam. bear N 57 E 25 lks. dist. of  
 a Hickory 12 " " " S 80 W 20 " "*

*49.45 Intersected N. boundary 232 lks. S. of post & set  
 post Cor. to Sec. 6 & 7, from which  
 an Ash 20 in. diam. bear West 14 lks. dist. of  
 a Maple 12 " " " N 81 W 26 " "  
 Land 1<sup>st</sup> rate*

*North Between Sec. 5 & 6*

*3.67 a Beech 20 in. diam.*

*40.00 Set q. Sec. post, from which  
 at Beech 20 in. diam. bear N 25 E 46 lks. dist. of  
 a Do. 20 " " " S 37 W 27 " "*

*45.00 a Hickory 15 " "*

*76.63 Intersected the N. boundary 172 lks. E. of post & set  
 post Cor. to Sec. 5 & 6, from which  
 at Beech 12 in. diam. bear N 78 E 3 lks. dist. of  
 a Do. 10 " " " S 70 W 26 " "  
 Land 1<sup>st</sup> rate, timber Walnut, Ash, &c.*

*September 9<sup>th</sup> 1819*

*William B. Sanghlin*

*Deputy Surveyor*

*Conf.*



I Certify that the foregoing transcript of field notes of  
Township N: 13 North, of Range N: 11 East 2.<sup>d</sup> Mer. Ind.<sup>a</sup>  
has been compared with the original notes in this Office,  
and found to be correct.

Surveyor General's Office

Cincinnati, Sept. 11<sup>th</sup> 1844

William Johnston  
Sur. Genl.